Van Dijk Ongediertebestrijding

Industrieweg 12, 3542 AD Utrecht · info@vandijk-ongedierte.nl · 030 - 765 43 21

Inspection report

What we did and found at your site

Report number	R-2026-0184
Visit date	08/09/2026
Completed on	08/09/2026 10:35
Client	Bakkerij De Gouden Korenaar B.V. Meelweg 118, 3534 AM Utrecht
Site	Productielocatie & winkel Meelweg Meelweg 118, 3534 AM Utrecht
Performed by	Mark de Wit
Licences	Certificate of competence (KBA/EVM) KBA-20419, valid until 01/03/2028
Visit	Visit 2 of 3
Contract	Contract visit

Summary

Checkpoints	6 checked · 2 with activity · 1 not reachable
Pests	Brown rat, House mouse
Measures carried out	2
Products applied	3

Risks	2 · 1 high
Highest risk	high
Recommendations	3 · 2 for you to act on
Next visit	08/12/2026

IPM approach

Non-chemical measures were taken first (2); a biocide was also applied according to its label, with its authorisation number and removal date in this report.

Contents

1. Covering letter
2. What was found
3. Per pest: what it means
4. What has changed since last time
5. Station trend
6. Work carried out
7. Risks
8. Recommendations
9. What you can do yourself
10. Products used
11. Signature

Bakkerij De Gouden Korenaar B.V.
Meelweg 118, 3534 AM Utrecht

Dear Sir or Madam,

This report covers the inspection visit of 08/09/2026 at your site Productielocatie & winkel Meelweg.

Visit 2 of 3 at Bakkerij De Gouden Korenaar. Rat activity is now present at three of the six stations, all of them in or next to the flour store. The take at CP 3 is the highest of the treatment so far, and the gap under the loading door is still open. Below is what that means per station and what we recommend.

The next visit is scheduled for 08/12/2026.

The pages that follow set out, section by section, what we did, what we found and what we advise.

Any questions about this report? You can reach us on 030 - 765 43 21 or at info@vandijk-ongedierte.nl.

Kind regards,
Van Dijk Ongediertebestrijding

What was found

Floor plan Ground floor



Red: a checkpoint with activity on this visit. Grey: the other checkpoints.

Checkpoint	Place	Status	Consumption	Count	Remarks
CP 1 · Ingang winkel	Begane grond	ok	none	0	
CP 2 · Kassa en toonbank	Begane grond	ok	none	0	
CP 3 · Meelopslag achterzijde	Begane grond	activity	high	4	Bruine rat — bait eaten, droppings — Done: bait replaced — Vraatsporen aan twee meelzakken op de onderste pallet.
CP 4 · Technische ruimte	Eerste verdieping	not accessible		—	De sleutel lag bij Marco en die was op zijn vrije dag; volgende keer vooraf aankondigen.
CP 5 · Laad- en losplaats	Buitenterrein	damaged	low	1	Bruine rat — Deksel gebroken door een heftruck; vervangen tijdens dit bezoek.

Checkpoint	Place	Status	Consumption	Count	Remarks
CP 6 · Kelder onder de bakkerij	Kelder	activity	medium	2	Bruine rat, Huismuis

HIGH **Brown rat** · Meelopslag
Keutels langs de plint en vraatsporen aan de meelzakken.
Probable cause: gaps and openings, storage

LOW **House mouse** · Kelder
Eén enkele keutel bij het kelderluik.

Per pest: what it means

Brown rat

Droppings run along about four metres of skirting in the flour store and two paper sacks on the bottom pallet have been gnawed open. CP 4 could not be reached this visit, so the technical room is outside this finding.

Rats keep to a fixed route once they have found food, and a pair can produce five litters a year. In a bakery the loss is rarely what they eat — it is the stock and packaging they foul on the way, and the cable and pipe they gnaw wherever they run.

Bait held at the three stations that took it and read again next visit; the gap under the loading door closed before then, and the flour moved clear of the wall so the run behind it disappears.

Evidence: Droppings and gnawing on flour sacks · Infestation level: high · Found at: Flour store, along the skirting

House mouse

One single dropping at the cellar hatch and nothing elsewhere. No nest, no gnawing.

A house mouse needs very little to get in and very little to live on. In a bakery the risk is less the damage than the contamination: mice foul far more than they eat.

A monitoring station at the hatch, read every visit. No bait for one dropping in a food room.

Evidence: One dropping, no nest · Infestation level: low · Found at: Cellar hatch

What has changed since last time

Two stations that were clear on the first visit now show activity, both in the flour store. The bait take at CP 3 is

the highest so far.

Station trend

The stations at this site on the last 4 visits with station checks, oldest on the left. For activity, the count or the bait taken; an empty box was not checked.

Station	09/06/2026	14/07/2026	11/08/2026	08/09/2026
CP 1 · Ingang winkel	ok	ok	ok	ok
CP 3 · Meelopslag	ok	ok	1	4
CP 4 · Technische ruimte	ok	ok	ok	not accessible
CP 5 · Laad- en losplaats	ok	ok	ok	1
CP 6 · Kelder	ok	1	ok	2

Work carried out

Measures without pesticides carried out on this visit.

Kind	Place	What was done
Proofing and sealing	Cellar hatch	Gap along the cellar hatch sealed with steel wool and sealant. For: House mouse
Hygiene and cleaning	Flour store	Spilt flour behind the pallets cleared together with the client. For: Brown rat

Risks

Before the treatment, the risks at this site were assessed.

Rats reaching stored flour HIGH

Flour sacks are stored directly on the floor against an outside wall with a gap under the loading door. Contaminated raw material is a food-safety incident, not a nuisance.

Still open since: Visit 1

Waste standing outside overnight MEDIUM

The bins by the loading bay are not closed and are emptied twice a week.

Recommendations

Fit a brush strip under the loading door

A gap of more than 6 mm under an outside door is the way in. A brush strip closes it without stopping the door being used.

Carried out by: client — Bakkerij De Gouden Korenaar B.V. · By 01/10/2026 · Status: open · carried over from visit #1

Store flour on pallets, 15 cm clear of the wall

Clearance makes inspection possible and removes the harbourage behind the stack.

Carried out by: client · Status: in progress

Add a station at the cellar hatch

We place and log it on the next visit.

Carried out by: us — Mark de Wit · By 29/09/2026

What you can do yourself

These points are yours. We will come back to them on the next visit.

- [ ] **Fit a brush strip under the loading door**
  A gap of more than 6 mm under an outside door is the way in. A brush strip closes it without stopping the door being used.
  By 01/10/2026
- [ ] **Store flour on pallets, 15 cm clear of the wall**
  Clearance makes inspection possible and removes the harbourage behind the stack.

Products used

Product	Registration number	Quantity	Place	Remove by
Storm Secure Blocks Active substance: flocoumafen 0.005% Batch number: SSB-2608-114 Dose: 4 blocks per station	NL-0012345-0000	0.2 kg	CP 3 — Meelopslag achterzijde	22/09/2026
Storm Secure Blocks Active substance: flocoumafen 0.005% Batch number: SSB-2608-114 Dose: 4 blocks per station	NL-0012345-0000	0.2 kg	CP 5 — Laad- en losplaats	22/09/2026
Goldenweb kleefvanger		2 pcs	Cellar hatch	—

Resistance

Storm Secure Blocks (flocoumafen) has been used at this site without a break since 14/07/2026 (8 weeks). Where possible, rotate the active substance or work non-chemically to prevent resistance.

Note: Switch to a bait with another active substance on the next visit.

Signature

Customer



M. de Jong

branch manager

Actually signed on 08/09/2026 10:31

Thank you for placing your trust in Van Dijk Ongediertebestrijding.

Industrieweg 12, 3542 AD Utrecht · info@vandijk-ongedierte.nl · 030 - 765 43 21

Insurance: Nationale-Nederlanden, policy number BA-4471209, valid until 31/12/2026